

ADVERTISE HERE CLINICS

Inspiring a new you

MySpa offers cosmetic surgery, non-surgical and beauty procedures in one luxurious environment.



Child Health News

< Jump to

Search



Sure**Touch**

BlueCross

Start Quote



Sexual fantasies and anxiety related to sexual desire

Medical Research News Published: Thursday, 28-Jun-2007 Email to a <u>Printer</u> Friend

Friendly

Scientists of the

Department of Personality, Evaluation and Psychological **Treatment of the University of Granada** have studied how some psychological variables such as erotophilia (positive attitude towards sexuality), sexual fantasies and anxiety are related to sexual

The researcher Juan Carlos Sierra Freire states that there are very few reliable and valid instruments

desire in human

Advertising by Google

Property Granada

Buy and Sell Quality **Properties Abroad** www.PrimeLocation.com

Granada Airport car hire

Ford Ka from £53 week Car Hire of the year 2006 www.carjet.co.uk

Veromax £14.99 - Buy Now

Buy Veromax online now. Fast, secure and discreet service. www.ExpressChemist.co.uk/Veromax

Sexual Health Supplements

All Natural Supplements To Increase Sexual Drive & Improve Performance! www.ExtremeSupplements.net

Property under £100k

Apartments in Granada, Andalucia register for free buyers guide www.propertyunder100k.com

Ofertas vuelos a Granada

Comparamos precios entre aerolíneas para que vueles desde 20€ www.eDreams.es

granada

Peninsula - Luxury properties in Granada, Jerez and Costa del Sol. www.peninsulapm.com

Female Aphrodisiacs

100% herbal, 6 different styles Free P&P, very discreet service www.simplyconfidential.co.uk

beings.



in Spain to evaluate sexual desire. Due to this vacuum, the researchers have adapted the Sexual Desire Inventory by Spector, Carey and Steinberg. This inventory is a tool that enables the researcher to measure, on the one hand, the solitary sexual motivation and, on the other hand, the interest in having sexual intercourse with another person (didactic sexual desire). This fact is of a great importance because it gives relevant information about possible disagreements in sexual desire that may appear in a couple. Regarding figures of the Spanish Association for Sexual Health, a loss of sexual desire is one of the main factors that cause sexual dysfunction in the Spanish female population.

The results of this research, published in the journals Analisis y Modificacian de Conducta and Psychological Reports, reveal an important relation between sexual desire and erotophilia in men. Men respond more positively towards sexual stimuli and thoughts, and they accept them more easily. The male population has an attitude that, together with sexual fantasies, heightens sexual drive. Nevertheless, the research stresses that people sometimes may have a negative reaction to some types of fantasies. In this sense, the researchers have studied such behaviour in male subjects, where sexually sadistic fantasies inhibit sexual desire.

In turn, women also share the imagination at play. The more sexual fantasies they have, the more sexual desire they experience. However, women normally present more anxiety disorders than men regarding transitory emotional stages such as anxiety, because anxiety strongly affects women's sexual function.

On the basis of the sample studied, which consists of 608 subjects aged 13 to 43, researchers have found that 32% of inhibited sexual desire in men is associated with low erotophilia as well as some sexual fantasies, while a 18% of such inhibited

Casas Granada Valle Costa Inmobiliaria en Padul Preciosas casas valle y costa www.garcialazaro.com



sksdataservices.com Ads hv Goooooodle

sexual desire in women is because of the increase of anxiety and the decrease of sexual fantasies. According to Juan Carlos Sierra, these figures show that psychological factors, which have a role in sexual response, depend on gender.

Sexual desire leads to other stages of sexual intercourse: excitation and orgasm. Therefore, having intercourse without desire may negatively affect the stages of sexual response. This first stage is the most complex because it is influenced by many factors, declared the researcher. Sexual desire is explained by a threedimensional model, which includes social, psychological, and neurophysiologic aspects. For that reason, proper neurohormonal activity with a right sexual stimulation is necessary in order to experience sexual desire. Besides this complexity, there is no comparison model, as occurs in the men's excitation stage, where it is possible to determine the degree of excitation depending on the erection.

Juan Carlos Sierra points out that education on sexual stimulation and response as well as healthy attitudes towards sexuality is extremely important. In this way, sexual intercourse for those people will be more pleasurable and with less probability of having sexual dysfunctions. Furthermore, this study highlights the importance of sexual fantasies in sexuality. In fact, sexual fantasies are used in sex therapy to diminish levels of anxiety of execution or of sexual activity, provided that there are no organic anomalies (lack of hormones, endocrinal disorders, etc.). Researchers from the **University** of Granada are currently working in this field of study.

http://www.ugr.es

Would you like to <u>register</u> for our weekly <u>NO-NONSENSE Medical</u> <u>News Letter</u>? At the end of each week we'll send you an email containing links to the most popular articles (by page impression) from