
An Efficient Response In Primary Care Would Reduce The Use Of Hospitals By Elderly People And...



was considered as a risk factor for hospitalisations, although more significantly for severe cases. The amount of medicines

consumed and the number of visits to the hospital was related with a higher frequency of hospitalisation, especially in chronic cases.

Clinical Trials

Heartburn

	Gol
	GO
1	

DOWNLOAD

Ads by Google

1 de 1

Part of the results from this study has been published in the prestigious journal "Atención Primaria". Furthermore, manuscripts will widely spread the significant results in specialized journals.

UNIVERSITY OF GRANADA COMMUNICATIONS DEPARTMENT Secretariado de Comunicación - Universidad de Granada Hospital Real - Cuesta del Hospicio s/n http://www.ugr.es

A child with ADD/ADHD?

Try our Sound Frequency Formulas We are the only ones who have them

Online journal archive

Over 1 million pages of original research: get your quote today!

www.informaarchives.com

NV Economic Development

Nevada demographics, labor, real estate, taxes, incentives, and more EconDev.SierraPacific.com

Samba Pressure Transducer

Ultra-miniature and high-precision pressure catheters for life science

www.samba.se



How Interesting Was This Article? (1 = Not Very. 5 = Very)

○1 ○2 ○3 ○4 ○5

I Am A:

-- Please Select --

Submit Rating

Visitor Ratings: Healthcare Professional: Not Yet RatedGeneral Public:

008 9:33