



Your source for the latest research news



Learn about CONCERTA® for ADHD and get a FREE trial offer

Important Safety Information

Prescribing Information

CONCERTA® is indicated for the treatment of ADHD as part of a total treatment program that may include counseling or other therapies.

NewsArticlesVideosImagesBooks

Health & MedicineMind & BrainPlants & AnimalsEarth & ClimateSpace & TimeMatter & EnergyComputers & MathFossils & Ruins

Search

Science News

ShareBlogCite

PrintEmailBookmark

Patients With Anxiety Disorders Think They Have More Physiological Problems Than They Really Have, According To Study

ScienceDaily (Nov. 17, 2008) — A doctoral thesis carried out at the University of Granada has shown that patients with serious anxiety disorders (panic disorder with and without agoraphobia, social anxiety disorder or generalized anxiety disorder) think they suffer more physiological (palpitations, sweating, irregular breathing, shaking of the hands and muscular tension, etc.) than they really have.

See also:

Health & Medicine

- Psychology Research
- Today's Healthcare
- Mental Health Research

Mind & Brain

- Anxiety
- Psychiatry
- Disorders and Syndromes

Reference

- Separation anxiety disorder
- Panic attack
- General anxiety disorder
- Phobia

in the of "Evaluation and Treatment of Anxiety Disorders" of the Clinical Psychology Unit of the Faculty of Psychology.

Less serious patients

This work has also revealed that those patients who suffer a less serious anxiety disorder, such as those who have been diagnosed specific phobias (excessive and irrational fear of a certain object or situation, such as certain animals, blood or open wounds, heights, storms, closed spaces, etc.) show a high reactivity in the physiological tests. Viedma stresses the existence of relationship between the capacity to react physiologically and the prognosis of therapeutic success, as it is patients with specific phobias who benefit most of the cognitive-behavioural treatment. Therefore, we can state that the presence of physiological symptoms is a good improvement predictor in anxiety disorder patients.

Prevalence in society

In accordance with the researcher, anxiety disorders are the most prevalent psycho-pathological problem in European countries. According to US statistics, the prevalence of specific phobias ranges between 8.8 and 12.5% of the general population. Although few of the persons who show specific fears come into the category of phobic, nearly 11% of such people have fears serious enough to affect their lives significantly.

The researcher emphasizes that, in the light of the results of her research work, it has been proved that, in the clinical evaluation of pathological anxiety should not only undergo cognitive-behavioural tests (traditionally consisting of surveys and questionnaires), but also psycho-physiological tests. "Our research work," M^a Isabel Viedma says, "has important clinical implications with regard to the diagnose and prognosis of therapeutic success, as well as in the design of more effective intervention strategies in the field of anxiety disorders."

Part of the conclusions of this research work have been recently presented in national and international conferences such as those organized by the "Spanish Society of Psychophysiology" (SEPF) and the "Society for Psychophysiological Research" (SPR), among others.

Ads by Google [Advertise here](#)

Stop Panic Attacks

Amazing anxiety breakthrough Immediate relief - It works!
www.PanicAway.com

Looking For Antibodies?

Find Quality Antibodies For Your Experiments.
Order w/ Confidence!
www.Millipore.com/Antibodies

Heal Your Anxiety

Alternative medicine has evolved New method of Nobel Prize nominee
www.thenewknowledge.com

Stop Panic Attacks Now.

Cure Panic Attacks Instantly! With The Panic Away Method.
www.panicportal.com

"How To Lose Stomach Fat"

Melts 3 Inches of Fat Every 7 Days! As Seen on NBC's Today Show.
www.Phosphacore.com

Related Stories

Genetic Predisposition May Play A Role In Anxiety Disorders

(Aug. 27, 2008) — Finnish scientists have identified genes that may predispose to anxiety disorders. Some of the studied genes show a statistical association with specific anxiety ... > [read more](#)

Strong Link Exists Between Mental Disorders In Parents And Their Children

(Jan. 3, 2001) — There are significant associations between the presence of panic disorder and major depression on parents and patterns of dysfunction in their children, according to a study in the January 2001 ... > [read more](#)

Anxiety Linked To Blood Clots: Fear That Freezes The Blood In Your Veins

(Mar. 26, 2008) — If you are "frightened stiff", not only does the intense fear seem to paralyze the body, it may even retard the blood flow. A study by medical scientists has shown that people with an acute anxiety ... > [read more](#)

Anxiety Disorders Surprisingly Common Yet Often Untreated

(Mar. 13, 2007) — Researchers report that nearly 20 percent of patients seen by primary care physicians have at least one anxiety disorder. They outline effectiveness of new screening tool which can alert busy primary ... > [read more](#)

Asthma Linked To Depressive Disorders, Study Suggests

(Nov. 7, 2007) — Young people with asthma are about twice as likely to suffer from depressive and anxiety disorders than are children without asthma, according to a new study. Previous research had suggested a ... > [read more](#)