




Home | Hot | Search | My | wiki | Lyrics | Games | Jokes | Recipes | radio | my WebCD/DVD | HELP



Message Alert

 You have **5 messages** waiting for you.

OK

 STRATO

OFERTA

¡El primero en la lista de Google!

¡Incluido vale con saldo inicial!

Google AdWords

75€

Saldo inicial

Haz clic aquí →

November 17, 2008
INDIA
National
Politics
Business
Sports
Sci-Tech
Entertainment
Travel
Health
Religion
Art - Culture
Diaspora
Education
INTERNATIONAL
Pakistan
Rest of South Asia
Asia
Americas
Europe
Australasia
Gulf-Middle East
Africa
World

Home > Health

 [E-mail](#)

 [Print](#)

Advertisement

Anxiety patients overestimate their physiological problems

Posted: 4:17p.m IST, November 14, 2008

Washington, Nov 14 (ANI): People having anxiety disorders believe that they have more physiological problems than they really have, says a new University of Granada study.

Some of the physiological symptoms that patients with anxiety disorders think they suffer include, Palpitations, sweating, irregular breathing, shaking of the hands and muscular tension.

However, the implementation of physiological tests has such symptoms are less intense than what the patients subjectively feel.

The scientists conducted the study on 83 patients with anxiety disorders in the program of Evaluation and Treatment of Anxiety Disorders of the Clinical Psychology Unit of the Faculty of Psychology of the University of Granada (Spain).


The lead researcher on the study was Professor Isabel Viedma del Jesus and the participants had been diagnosed any of the following anxiety disorders: panic disorder with and without agoraphobia, social anxiety, generalized anxiety and specific phobias.

The study indicated that many patients with anxiety disorders have orally reported very intense physiological symptoms in surveys and questionnaires, they are hyporeactive when real measures of such symptoms are taken through physiological tests.

Based on the results, the scientists said they have proved that, in the clinical evaluation of pathological anxiety should not only undergo cognitive-behavioural tests (traditionally consisting of surveys and questionnaires), but also psycho-physiological tests.

Our research work has important clinical implications with regard to the diagnose and prognosis of therapeutic success, as well as in the design of more effective intervention strategies in the field of anxiety disorders, said Isabel Viedma.

Part of the conclusions of this research work have been recently presented in national and international conferences such as those organized by the Spanish Society of Psychophysiology (SEPF) and the Society for Psychophysiological Research (SPR), among others. (ANI)

 [E-mail](#)

 [Print](#)

