

ADVERTISEMENT

24.com Home | Mail | Blogs | Albums | Classifieds | **24.com sites** ▼

Sign up for our free newsletters |



### 14 common sex questions

Get the answers to the 14 questions most frequently asked on our Sex Forum.

### Hospital plan vs scheme

Medical scheme membership is expensive. Is it worth it, or is a hospital plan enough?

**Sign up for a daily tip**  
**Win with our competitions**

**QUICK LINKS**  
man  
woman  
child  
pet

search...



Medical A-Z | News & Events | Your health | Diet & Nutrition | Fitness | Balance | Sex stuff | Experts & Communities | Tests & tools | Win! | Schemes |

Man

Events

Woman

Parenting/Child health

Teens

First aid

Mind/Psychology

Healthy eating

Weight management/Obesity

Fitness & Sport

Natural health

General health

Acne

Addiction/Substance abuse

Anaesthesia

Anti-ageing

Allergy

Alzheimer's & Dementia

Aspirin

Asthma

Autoimmune disease

Bacterial & Viral infections

Backache

Blood diseases

Brain/Neurological

Breast

Cancer

Contraception

Conferences

COPD

Depression

Diabetes

Diet&Food

Digestive Health

Ear, nose and throat

Endocrine & Metabolic

Epilepsy

Enviro Health

Erectile dysfunction

Eye & vision

YOU ARE IN > [News](#) > [Addiction/Substance abuse](#)

## Dagga may trigger psychosis

Created: Tuesday, March 31, 2009

Among individuals who appear to be "mentally well", heavy use of marijuana may predispose them to develop schizophrenia and other "psychoses," new research suggests.

Among 92 patients, ages 18 to 65 years, who suffered a first episode of functional psychotic illness, more than half said they smoked marijuana daily or nearly every day and most of these individuals (66 %) had no pre-existing signs of abnormal neurological development that would put them at risk for psychosis.

They had no family history of psychosis; they had been doing well academically; they had a group of friends and as such were not socially isolated; and they had good muscle coordination, Dr Miguel Ruiz-Veguilla, of the Institute of Neurosciences of the University of Granada, Spain, and co-investigators explain in the latest issue of the journal *Schizophrenia Research*.

The remaining 43% of the study subjects with a first psychotic episode did have signs of abnormal neurological development that increased their risk of psychosis, such as a family history of psychosis and trouble in the social and academic worlds.

### 'Normal' pot smokers also have psychotic symptoms

The new and most interesting study finding, wrote the researchers, is that mentally healthy adults who smoke marijuana daily or nearly every day may experience psychotic symptoms, while not having any of the risk factors for these symptoms.

This study, Veguilla suggests that patients with poor social and academic adjustment before the onset of illness "do not need an environmental factor in order to develop psychosis".

While people with good social and academic adjustment before the onset of psychosis illness - defined as have more than five friends; good academic function; good motor coordination and sensory integration; and no family history of psychosis -- need a strong environmental factor, such as smoking cannabis every day, to develop psychosis." – (Reuters Health, March 2009)

Read more:

[Pot smokers are risky drivers](#)

[Dagga may cause testicular cancer](#)

ADVERTISEMENT

[Go to News main page](#)

[Share with a friend](#)

RATE THIS ARTICLE

Poor

Excellent

SHARE THIS PAGE

[Laaik.it](#)

[Yahoo](#)

[Google](#)

[Digg](#)

[del.icio.us](#)

[Facebook](#)

ADVERTISEMENT

### Today's top stories

Print

[Public health managers incompetent](#)

[Superpill may cut heart disease](#)

[Dagga may trigger psychosis](#)

[ANC promises NHI - again](#)

[Tired of the gym? Get out and play](#)

[Video games boost adult vision](#)

[Tonsillectomy ups weight in kids](#)

#### NEWS24

[Zuma in the dark about his fate](#)

[Dalai Lama: IFP to push ahead](#)

[Gun licence renewals ends](#)

[Force close in on Grant](#)

[Security scares rock Belfast](#)