

Help keep him close, longer. Studies showed ARICEPT slows the progression of Alzheimer's symptoms Prescribing Information | Important Safety Information

Get answers bout ARICEPT AHU00248AG

ARICEPT donepezil HC

Please scroll for Important Safety Information ARICEPT (donepezil HCl tablets) is indicated for the Important Safety Information

Health & Medicine

Articles

Videos

Images

Books

Space & Time

Matter & Energy

Computers & Math

Search

Fossils & Ruins

Print Email Bookmark

Science News

Mind & Brain Earth & Climate Plants & Animals

♣ Share
☑ Blog
□ Cite

Advertise here

Non-invasive Method For Early, Serological Diagnosis Of Parkinson's **Disease Developed**

ScienceDaily (June 12, 2009) — A research group based at the University of Granada, in cooperation with the Neurology Unit of the San Cecilio Hospital of Granada and the Department of Experimental Sciences of the University of Jaen, is studying the Neurobiology of Parkinson's disease (PD). They have developed a non-invasive method for serological diagnosis of Parkinson's disease, which is being patented by the University of Granada. To this end, the scientists analyzed and purified proteins associated with this disease, such as aminopeptidase.

See also:

Health & Medicine

- Parkinson's Research
- Diseases and Conditions
- Chronic Illness

Mind & Brain

- Parkinson's
- Alzheimer's Huntington's Disease

Reference

- Dementia with Lewy bodies
- Dopamine
- Neurology
- Parkinson's disease

However, it is not an easy task: there are thousands of proteins in the blood, and only a few are related to neurodegenerative diseases

Francisco Vives, Head of the Institute the Neurosciences of Granada and coordinator of the University of Granada's research group for the "Study of neurodegenerative diseases in Andalusia" says that "so far, there is not effective treatment" for Parkinson's disease. So, at the moment the only solution is palliative treatment. Therefore, "finding plasma specific proteins in patients before the first symptoms of Parkinson's disease appear, will allow us to use drugs that either stop or at least slow down the disease. An early diagnose is important to PD medication," he

L-dopa is a dopamine (the neurotransmitter that decreases in this disease) precursor. It is a very effective drug, but its therapeutic effects disappear within a few years of treatment. Other researchers say it even makes the disease worse. In this sense, scientists from the University of Granada have been carrying out a very complex statistical study, using blood samples from patients with PD, and they had proven than Ldopa has an antioxidant effect, that is, a neuroprotective effect.

Alpha Synuclein

Furthermore, one main feature of PD is the formation of intracellular precipitates, called Lewy bodies. The major components of this toxic precipitates are two proteins, αsynuclein and ubiquitin . Many studies have reported the detection of $\alpha\mbox{-synuclein}$ in biological fluids such as cerebrospinal fluid and plasma of PD patients. It is a matter of debate if plasma α -synuclein is a protein secreted by normal neurons or released by damaged neurons. This research group has found high concentrations of plasma $\alpha\text{-synuclein}$ in PD patients. But the most interesting think is that, in newly diagnosed PD patients, and before any medication, plasma αsynuclein is increased. Thus, this blood protein may be used for PD diagnose. So far. this is the first report (in press) reporting changes in α-synuclein in early diagnosed patients without treatment. The increased concentration of α-synuclein found in PD patients with and without treatment suggest that LBs are associated to neurodegeneration and that this is an early event in PD. Medication directed to prevent α -synuclein aggregates may be useful to PD treatment.

PARK-6

Sporadic Parkinson's, associated to age, is the most frequent form of PD. However, and according to experts, genetic predisposition and environmental factors play a key role in the development of the disease

The Granada research team, with the help of researchers from the Nuclear Medicine Department of the Goethe University (Germany), have studied genetic alterations in several families from the province of Granada, with various of its members affected of PD. In all these families, there have been cases of Parkinson's at an early age. The genetic analysis proved that the presence of a polymorphism in a specific gene (PARK6) is very frequent in those families.

Despite the findings, Francisco Vives states that "there is not a sole gene responsible for Parkinson's disease, but it is rather the conjunction of several genes. Furthermore, the disease accelerates if patients are exposed to environmental toxics, so prevention and an early diagnose is the best for PD patients."

According to Francisco Vives Montero, "rare neurodegenerative diseases of previous times are now increasingly and becoming more frequent, because they are related to aging." Neurodegenerative diseases linking to aging, like Parkinson's, are estimated to affect 1.5% of people older than 60.

Adapted from materials provided by Andalucía Innova, via

Email or share this story:

Need to cite this story in your essay, paper, or report? Use one of the following formats:

Parkinson's Over 5 Years?

Ads by Google

Stem cells therapy in China for age up to 60. From \$30,000. Inquire now www.StemCellsPuhua.com/ Contact Us

Gyro Kinetics-Alex Kerten

Parkinson patients improve life & detain disease regression / relapse www.parkinson-gk.com

Alzheimer's-Parkinson's

Recombinant Abeta, Synucleins Tau Proteins, APP and much more! www.rPeptide.com/AD-Reserach

Parkinson's Disease

Treat Your Parkinson's Disease the Natural Way. Try Our Herbal Remedy! www.niprotax.com

Huntington's Disease

the latest method for HD with improvement during 5

www.stemcellshezhong.com

Related Stories

Biochip Designed To Guarantee Safety In Blood Transfusions (July 7, 2007) — A Basque biotechnology company has introduced a DNA biochip, known as BLOODchip, which greatly eliminates the risk of adverse reactions due to incompatibility in blood groups between donor > read more

Protein Complex Linked To Parkinson Disease

(Mar. 4, 2009) — Mutations in the genes PINK1, PARKIN, and DJ-1 have each been linked to earlyonset inherited forms of Parkinson disease. However, the functional relationship between the proteins generated by these ... > read more

Immune Cells Contribute To Development Of Parkinson's Disease (Dec. 26, 2008)

Parkinson's disease is a neurodegenerative disorder that impairs movement, balance, speech, and other functions. Although immune cells accumulate in the brain of individuals with Parkinson's disease. ... > read more

Study Medication May Improve 'Wearing-Off' Effects Of Parkinson's Drugs (Dec. 30, 2004) Physicians at the Parkinson's Disease and

Movement Disorders Center at Northwestern University are conducting a research study to evaluate an experimental treatment intended to improve motor ... > read more

Diagnosis Of Cutaneous Leishmaniasis Improved With New Techniques (Jan. 29, 2008)

Scientists have developed and evaluated new techniques for a better diagnosis of cutaneous leishmaniasis and an improved monitoring of its treatment. Accurately establishing the number of parasites ... > read more

Just In:

Evolution Can Occur In Less Than 10 Years

Science Video News



Diagnosing Alzheimer's Early A new brain-imaging method allows physicians to diagnose Alzheimer's before its onset. A radioactive dye is injected in the blood and travels to

the. ... > full story

Viral Immunologists Invent Speedy Virus

Biochemists Develop Proteomic Test For Breast

Optical Scientists, Psychiatrists Develop Minimally Invasive Eye Test for Alzheimer's

Identification Technique more science videos

> Help keep him close, longer. Studies showed ARICEPT slows the progression of Alzheimer's symptoms. RICEPI

Get answers >> donepezil HCI Prescribing Information | Important Safety Information

Please scroll for Important Safety Information ARICEPT (donepezil HCl tablets) is indicated for the treatment of mild, moderate, and severe dementia of the Alzheimer's type. ARICEPT is well tolerated but may not be for everyone. People at risk for

Breaking News

... from NewsDailv.com

REUTERS :

Help keep him

NASA delays launch to Wednesday Alaska's Rat Island

rat-free after 229 Researchers

uncover how nanoparticles may damage lungs Researchers

uncover how nanoparticles may damage lungs New flu has been

around for years in pigs: study

more science news

In Other News ...

Rich nations to plot exit from crisis measures

Iran bans planned Mousavi rally in U.S. special

operations leader takes Afghan command Obama to lobby

doctors on healthcare reforms Netanyahu bows to

Obama, accepts Palestinian "state"

CIA chief believes wants U.S. attacked close, longer. Studies showed ARICEPT slows the progression of Alzheimer's symptoms. Get answers about ARICEPT Prescribing Information ARU00248AG2 ARICEPT

Please scroll for Important

ARICEPT (donepezil HCl tablets) is indicated for the treatment of mild, moderate, and severe dementia of the Alzheimer's type.

Important Safety Information ARICEPT is well tolerated but may not be for everyone. People at risk for stomach ulcers or who take certain

Pakistan orders offensive against Taliban chief Lack of votes seen for Obama healthcare program

more top news

Copyright Reuters 2008. See Restrictions.

Free Subscriptions

... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

Email Newsletters RSS Newsfeeds

Feedback

... we want to hear from you!

Tell us what you think of the new ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?