



Forum für Wissenschaft, Industrie und Wirtschaft

Hauptsponsoren:   

über 136.000 Artikel aktuell online

Datenbankrecherche:

Fachgebiet (optional):

Home

Über uns

Media

English

NACHRICHTEN & BERICHTE

Agrar- Forstwissenschaften
 Architektur Bauwesen
 Automotive
 Biowissenschaften Chemie
 Energie und Elektrotechnik
 Geowissenschaften
 Gesellschaftswissenschaften
 Informationstechnologie
 Interdisziplinäre Forschung
 Kommunikation Medien
 Maschinenbau
 Materialwissenschaften
 Medizintechnik
Medizin Gesundheit
 Ökologie Umwelt- Naturschutz
 Physik Astronomie
 Studien Analysen
 Verfahrenstechnologie
 Verkehr Logistik
 Wirtschaft Finanzen

Weitere Förderer



Ads by Google

Granada

Child Care

Fish Oil

Fatty Fish

Canned Tuna

Home → Fachgebiete → Medizin Gesundheit → Nachricht

Consumption of certain fish during pregnancy associated with poorer cognitive performance

13.11.2009

[» nächste Meldung »](#)

Children who eat fish more than 3 times per week show a worse performance in the general cognitive, executive and perceptual-manipulative areas. Those with higher levels of exposure to mercury show a generalised delay in cognitive, memory and verbal areas. Mercury is a contaminant found especially in oily fish and canned fish and to a lesser extent in white fish.

Anzeige

This conclusion emerges from research conducted at the University of Granada, which warns of the need to assess children's health risk according to fish consumption, distinguishing between varieties or species they consume, especially in those areas where fish is part of the staple diet of the population.

Ads by Google

EMF Health**Hazards**

The Most

Powerful EMF

Protection.

Reduces

Headaches,

Fatigue, ADHD!

EarthCalm.com

...mehr zu:

> air pollutant > air pollutant NO2
 concentrations > Consumption
 > environmental contaminants
 > environmental exposure > fish
 consumption > health risk
 > Medicine > NO2 > NO2
 concentrations > radiology > tobacco
 smoke > white fish

populations with a lower consumption of fish, but lower than levels found in high consuming areas.

Important factors in this exposure were the place of residence, maternal age, passive exposure to tobacco smoke and consumption of oily fish. The results suggest that fish consumption is the main source of exposure to mercury in the sample population studied.

The work carried out at the University of Granada also suggests that in Granada, children's health risk from exposure to trihalomethanes via drinking water can be considered to be significantly lower than in

The work entitled "Children's exposure to environmental contaminants in Granada and potential effects on health" was carried out by Carmen Freire Warden, from the Department of Radiology and Physical Medicine of the UGR, and led by professors Nicolás Olea and Marieta Fernández Serrano Cabrera.

For this study, scientists analyzed the exposure to environmental contaminants through water, air and diet, in a sample of 220 children in the geographic health care area of San Cecilio University Hospital in Granada. This study has described for the first time the extent of childhood exposure to environmental pollutants of special concern, such as trihalomethanes, NO2, polycyclic aromatic hydrocarbons and mercury. Following the hypotheses posed, this research assessed the combination of exposure to air pollution, on the one hand, and mercury, on the other, with child neurodevelopment at 4 years of age.

Mercury concentrations

Thus, total mercury concentrations found in the hair of 4 year-old children from Granada were between 0.04 and 6.67 g / g.

Concentrations were higher than those found in other paediatric populations with a lower consumption of fish, but lower than levels found in high consuming areas.

B2B Suche

© 2000-2009 by innovations-report

☒ Produkt / Dienstleistung
☐ Firma / Organisation

**DER
NISSAN
NAVARA**

**JETZT AB
21.596,- EURO
NETTO***

*UNVERBINDLICHE
PREISEMPFEHLUNG
DES HERSTELLERS ZZGL
19% MEHRWERTSTEUER

**KOSTENLOSE
PROBEFAHRT-
HOTLINE:
0800 -
70 70 441**

**HIER KLICKEN
FÜR MEHR
NAVARA INFOS...**

Anzeige

Aktuell

VDE MedTech Aktionen auf der Medica 2009

13.11.2009 | Messenachrichten

Chemie kann Sonne tanken - neuer Forschungsvorhaben bewilligt

13.11.2009 | Biowissenschaften Chemie

Plastik verursacht Sexprobleme bei Männern

13.11.2009 | Studien Analysen

VideoLinks

Polares Klimaarchiv - Folge 11
Klima-Muster - Wie war das Klima am Elg yg tynsee?

Funktion durch Vielfalt - Folge 11
Horizont-ABC



other areas of the country, and that air pollutant NO₂ concentrations (measured in the external environment of the study area) were also lower than those described in other Spanish cities. Traffic of motor vehicles is the main source of emission of these pollutants in the study area.

Moreover, the research also revealed that there is a direct relationship between children's passive exposure to tobacco smoke and the use of gas stoves inside houses, and the presence of 1-hydroxypyrene, an indicator of exposure to damaging health air pollutants.

Researchers warn that although environmental exposure levels found in children are low enough not to cause any obvious concern, they could have an impact on child development in the long-term, only appearing as symptoms many years after first exposure. Consequently, they explain, "whatever the extent of involvement of environmental exposures in the etiology of the disease, the simple fact of acting very early in life opens the door to a transcendental field in public health: the possibility of applying early prevention measures to minimize problems."

These research results were recently published in scientific journals such as Environmental Research, Journal of Epidemiology and Community Health, Science of the Total Environment and Gaceta Sanitaria.

Reference: Carmen Freire Warden, Department of Radiology and Physical Medicine, University of Granada. Tel: (+34) 958 240 758. E-mail: cfreire@ugr.es

Carmen Freire Warden | Quelle: EurekAlert!
Weitere Informationen: www.ugr.es

Weitere Berichte zu: [air pollutant](#) > [air pollutant NO₂ concentrations](#) > [Consumption](#) > [environmental contaminants](#) > [environmental exposure](#) > [fish consumption](#) > [health risk](#) > [Medicine](#) > [NO₂](#) > [NO₂ concentrations](#) > [radiology](#) > [tobacco smoke](#) > [white fish](#)

[> nächste Meldung >](#)

Weitere Nachrichten aus der Kategorie Medizin Gesundheit:

Too much selenium can increase your cholesterol
13.11.2009 | University of Warwick

Schavan: "Umfassendere Diabetesforschung für den Patienten"
13.11.2009 | BMBF - Bundesministerium für Bildung und Forschung

Alle Nachrichten aus der Kategorie Medizin Gesundheit >>>

PMK Photographer/Fotógrafo

Weddings, Portraits, Events Granada
Español/English
www.pmkphoto.com

Lead Detection in Toys


Use HDXRF to Screen and Quantify. For Paint and all Base Materials.
www.xos.com

Ask a Psychiatrist Online

Psychiatry Question? Ask It Now, a Doctor Will Answer You ASAP.
HealthJustAnswer.com/Psychiatry



warfare agents.



iDriver - iPhone remote controlled car
iDriver is an iPhone application to remote control a car. Go to www.spiritofberlin.eu information on "Spirit of Berlin" ...



how to live more sustainably

Veranstaltungen


Innovationsforum "Nanoporöse Glasformkörper" in Leipzig
13.11.2009 | Veranstaltungsnachrichten

Schwerstkranken Kinder sollen zu Hause betreut werden können
13.11.2009 | Veranstaltungsnachrichten

Biokunststoffe stehen weiter auf Erfolgskurs
13.11.2009 | Veranstaltungsnachrichten

Live-Mitschnitte, Interviews und Hintergründe von den Meinungsführern aus Politik und Wirtschaft jetzt auf www.euroforum.tv


Wissen schafft Kompetenz



Im Focus: Erstes Bose-Einstein-Kondensat mit Strontiumatomen

innovations report

Neues von der Zukunft



Ads by Google

Top

Artikel versenden

drucken

Impressum