

ART & STYLE ENTERTAINMENT COMPENDIUM TRAVEL

Physics | Chemistry | Geology and palaeontology | Biology | Environment | Astronomy | Health | Technology | — In pictures | — InMotion

Today's themes: cancer · brain · galaxy · rhino

Where am I? > Home > News > Health

Tags: cortex, damage, ganglion, patient, stimulus

## Damage to the frontal cortex of the brain affects ability to react quickly to a stimulus

Science Centric | 16 June 2010 12:05 GMT

Novartis Clinical Trials Investigate therapy for estrogen receptor positive breast cancer www.thewideprogram.com

Last Gen Method Unknown mutations Detection BRCA1 & BRCA2 ready www.fluigent.com

Fast Gene Synthesis Competitive Pricing & 100% Accurate Excellent Project

Management www.genewiz.com Curr. Molecular Medicine Jrl. on latest Research Reviews Online / Print, Impact

Factor: 5. w.bentham.org/cmm

Ads by Google

Researchers of the University of Granada have demonstrated that patients who have damage to the right prefrontal cortex of the brain - the part involved in anticipation and quick reaction to stimuli- present a deficit in intentional anticipation (for example, when we put the vehicle in gear before the light turns green). However, these patients keep unintentional anticipation functions intact, which could help develop new therapies

This study was published in the last issue of the prestigious journal Brain. and was led by Monica Trivino (Department of Neuropsychology, University Hospital San Rafael, in Granada) and Angel Correa, Marisa Arnedo and Juan Lupianez (Department of Experimental Psychology and Behavioural Physiology, University of Granada).

What is important about the study is that the researchers of the University of Granada have studied for the first time the neural basis in temporal preparation in patients and its connection to other two effects: the reactionpreparation in patients and its connection to care the choice. The transferred states the states of healthy individuals underwent an experimental test.

Patients were shown a sign that anticipated a stimulus to which a reaction was expected. The sign did not always anticipate correctly the stimulus, since it sometimes was shown too early or too late. Consequently, there were valid tests (the stimulus appeared just after the sign) and invalid tests (the sign and the stimulus were not synchronised, since the sign was shown too early or too late).

The results showed clear evidence that patients with right prefrontal damage presented deficient temporal preparation, while the other patients (those with damage to the left frontal cortex and to the basal ganglia) obtained the same results as healthy individuals.

As regards the response-stimulus interval, the researchers found that patients with prefrontal damage presented deficient preparation effects while patients with damaged basal ganglia circuits showed normal effects. Finally, none of the groups - not even frontal-damage related patients showed any altered sequential reaction.

At present, the authors of this study are analysing the relation between deficit in intentional preparation during reaction time foreperiods exhibited by prefrontal damage-related patients and their precipitation when it comes to react to a stimulus. Within their therapeutical application, researchers are analysing in what measure patients provided with rhythms (that is, basing on unintentional responses) this type of patients can improve their temporal preparation

Source: Universidad de Granada

## BOILING POINT

- McDonald's recalls Shrek glasses due to potential — Indebotation Freezais Sinter Quasses oue to potential cadmium risk. — The U.S. Consumer Product Safety Commission (CPSC) just announced a recall of 'Shrek Forever After 3D' Collectable Drinking... – Hogchoker - the new Internet star. — A small flatfish living along the coast of North America is the new Internet star.

Currently the hotness for this particular... — <u>Cancer deaths are projected to double by 2030</u> — Cancer deaths are projected to double in the next two decades. A report issued by the International Agency for Research on...

Google Custom Search

GO

RSS feeds | Newsletter

More Boiling point ...

MINUSCULE

 British public 'relaxed' about synthetic life — Some people may shudder at the idea of scientists creating synthetic... Protozoan swimming style identifies water toxins -

Watching a protozoan version of synchronised swimming could provide... — <u>Genetic on-off switch key to evolution of complex life</u> — A simple on-off switch may have been key to the evolution of... — <u>Male voices reveal owner's strength</u> — You can tell a lot about a man by his handshake, but his voice...

More Minuscule...

Find the topic you want. Science Centric offers several  $\underline{\text{RSS feeds}}$  for the  $\underline{\text{News}}$  section.

Or subscribe for our <u>Newsletter</u>, a free e-mail publication. It is published practically every day.



throughout the body via the

bloodstream without immediate

The Australian E-Health Research Centre joins Open Health Tools Foundation — The Australian E-Health Research Centre (AEHRC) - a joint venture between CSIRO and the eensland Government



esearch identifies mechanism behind mind-body connection -Every cell contains a tiny clock called a telomere, which shortens each time the cell divides. Short telomeres are linked...



New molecular tag identifies bone and tooth minerals -Enlisting an army of plant viruses to their cause, materials researchers at the National Institute of Standards and Technology..

More Health...



li 🗉 🗐 -A -A

Scientists develop nano-sized cargo ships' to target and destroy tumours — Scientists have developed nanometre-sized 'cargo ships' that can sail

RSS feeds, newslette