June 23, 2010 -Spanish scientists

have analysed the teeth of almost all

species of hominids that have existed

during the past 4 million years. Thus,

they achieved to

features in ancient

fossils suggest that the separation

occurred at least a

million years ago, while DNA-based

analyses suggest

that this occurred

identify Neanderthal

European populations. Dental

The separation between Neardenthal and Homo Sapiens might have occurred 500,000 years earlier than previously believed

Published on Jun 23, 2010 - 10:29:37 AM

Email this article Printer friendly page

By: University of Grenada



Aída Gómez Robles

much later.

The separation of Neardenthal and Homo Sapiens might have occurred at least one million years ago, more than 500.000 years earlier than previously believed after DNA-based analyses. A doctoral thesis conducted at the National Center for Research on Human Evolution (Centro Nacional de Investigación sobre la Evolución Humana) -associated with the University of Granada-, analysed the teeth of almost all species of hominids that have existed during the past 4 million years. Quantitative methods were employed and they managed to identify Neanderthal features in ancient European populations.

The main purpose of this research –whose author is Aida Gómez Robles- was to reconstruct the history of evolution of Human species using the information provided by the teeth, which are the most numerous and best preserved remains of the fossil record. To this purpose, a large sample of dental fossils from different sites in Africa, Asia and Europe was analysed. The morphological differences of each dental class was assessed and the ability of each tooth to identify the species to which its owner belonged was analysed.

The researcher concluded that it is possible to correctly determine the species to which an isolated tooth belonged with a success rate ranging from 60% to 80%. Although these values are not very high, they increase as different dental classes from the same individual are added. That means that if several teeth from the same individual are analysed, the probability of correctly identifying the species can reach 100%.

Aida Gómez Robles explains that, from all the species of hominids currently known "none of them has a probability higher than 5% to be the common ancestor of Neardenthals and Homo Sapiens. Therefore, the common ancestor of this lineage is likely to have not been discovered yet".

## **Computer Simulation**

What is innovative about this study is that computer simulation was employed to observe the effects of environmental changes on morphology of the teeth. Similar studies had been conducted on the evolution and development of different groups of mammals, but never on human evolution.

Additionally, the research conducted at CENIEH and at the University of Granada is pioneer –together with recent studies based on the shape of the skull- in using mathematical methods to make and estimation of the morphology of the teeth of common ancestors in the evolutionary tree of the

Share SacConnect StoriesNo hay contactos en lineaLive UpdatesCuentas Chat with your friends

Subscribe to
YubaNetNews, our
weekly newsletter
featuring the latest
regional stories and
more.
your email

submit

## Latest Headlines

## Sci/Tech

The separation between Neardenthal and Homo Sapiens might have occurred 500,000 years earlier than previously believed

Wireless vs. wireless

Parkinson's patients'
'risky behavior' explained

Scientists announce discovery of 3.6 millionyear-old relative of 'Lucy'

Hubble captures bubbles and baby stars

Electronic health records could give rise to more liability risk

Caltech geologist investigates canyon carved in just 3 days in Texas flood

Scientists see billions of miles away

Retooling the ocean conveyor belt

Like fireflies, earthquakes may fire in synchrony

More





human species. "However, in this study, only dental morphology was analysed. The same methodology can be used to rebuild other parts of the skeletum of that species, which would provide other models that would serve as a reference for future comparative studies of new fossil finds."


To carry out this study, Gómez Robles employed fossils from a number of archaeological-paleontological sites, such as that of the Gran Colina and the Sima de los Huesos, located in Atapuerca range (Burgos, Spain), and the site of Dmanisi in the Republic of Georgia. She also studied different fossil collections by visiting international institutions as the National Museum of Georgia, the Institute of Human Paleontology and the Museum of Mankind in Paris, the European Research Centre Tautavel (France), the Senckenberg Institute Frankfurt, the Museum of Natural History in Berlin, the Institute of Vertebrate Paleontology and Paleoanthropology in Beijing and the Museum of Natural History in New York and Cleveland.

Although the results of this research were disclosed in two articles published in one of the most prestigious journals in the field of human evolution, Journal of Human Evolution (2007 and 2008), they will be thoroughly presented within a few months.



In the interest of fostering civil and issue-oriented discourse, YubaNet does not publish reader comments identified by anonymous Internet "handles" (fake user ID names like "farfromthinkin"). Your full and real name will be published with your comment. Your email address will not be shown, unless you specifically "uncheck" the box 'Hide my email.' By submitting a comment you consent to our rules.

## **Comments**



NEWS . Fire News . Latest . Regional . California . USA . World . Op-Ed . Enviro . Sci/Tech . Life . Odd News . Cartoons
FEATURES . The Calendar . Classifieds . Weather . Sierra NightSky . Maps . Horoscope. YubaNetLinks . Road Conditions
YubaNet.com . Advertising . About Us . Contact Us . Terms of Use . Privacy

YubaNet.com © 2010 Nevada City, California (530) 478-9600

