

International Federation of Gynecology and Obstetrics

Latest Dige

You are here: Home > Earlier menopause for women with hip osteoporosis

Earlier menopause for women with hip osteoporosis

Thursday, 31st March 2011

Women who have osteoporosis in their hip tend to go through the menopause earlier than healthy women, a new study has found

As well as this finding, researchers from the University of Granada, Spain, also discovered at least three genetic markers which are associated with osteoporosis in the hip of postmenopausal women.

A multi-centre study, involving five Spanish clinics, was carried out for the research, which included 2,200 patients.

"Maybe, in the short term, a genetic study of patients could be made to inform them when they are found to be prone to suffer a hip fracture and to recommend them to follow some specific treatment," advised Jesus Carlos Presa Lorite from the Department of Obstetrics of the University of Granada, who developed the initial research.

Related News

Inadequate diet 'linked with anaemia in postmenopausal women'

Monday, 28th March 2011 Postmenopausal women who have an inadequate diet are at an increased risk of developing anaemia, even if they take nutritional supplements, new research suggests.

Meditation 'improves lives of menopausal women'

Wednesday, 23rd March 2011 Menopausal women suffering from hot flushes who undertake mindfulness classes have improved quality of life, new research has revealed.

Recently, a US-based study, published in the Journal of the American Dietetic Association, revealed postmenopausal women who have an inadequate diet have an increased risk of anaemia.

Posted by Carla Mackenzie