Apr 06

Wednesday

News, Sci-Tech

50pc of bipolar disorder patients suffer work, social or family disabilities

April 6, 2011 – 3:52 pm By News Desk | Permalink | Print This Article |

Post a Comment

Washington, April 06 (ANI): A study conducted at the University of Granada has found that 50 pc of patients with bipolar disorder suffer some type of work, social and family disability, and approximately 20 pc present some disorder at the three levels.

The research study analyzed the factors associated to higher work, social and family disabilities in a sample of 108 patients suffering from bipolar disorder.

This research revealed that work disability -that is, difficulty to perform normal job duties- in these patients was associated to high recurrence of maniac episodes, as well as to recurrent psychiatric hospitalization -high-intensity episodes-, depression and low educational levels. Furthermore, nicotinic dependency -strong addiction to tobacco- can be more disabling in patients with bipolar disorder than depression.

Luis Guti

You might like:

- Previously unrecognized susceptibility factor for bipolar disorder identified (this site)
- Eating disorders 'double in Muslim teens than in Christian' (this site)
- Bipolar disorder vastly undertreated-US study (Chicago Tribune)
- Tips for Managing Bipolar Disorder Associated Content from Yahoo! associated content.com (Associated Content)

Top University in Spain

International degrees, transferable credits, IE University in Spain www.ie.edu/university

Ads by Google

Post Tags: Washington

Enjoy the Article? <u>Subscribe!</u> What's Next?

- Tweet this
- Share on Facebook
- Google Bookmark It
- Digg it
- Leave a Comment

You must be <u>logged in</u> to post a comment.

Search TruthDive
Search

2 de 4 08/04/2011 10:37



Copyright © 2010 by Kalugu Media LLC. | About Us | Contact Us

4 de 4 08/04/2011 10:37