




Home Databases News NanoBusiness Nano Jobs Resources Nanowerk Introduction to Nanotechnology

Search Nanowerk

Search



[nanodiamond web-sales](#)

High-quality nanodiamond materials as powders and dispersions

[www.carbodeon.com](http://www.carbodeon.com)

AdChoices



#### Article Tools

Printer-friendly

E-mail this article

Daily News & Email Digest

News Feeds

Join us on Facebook

Follow us on Twitter

#### Research News

(click here for Business News)

Gold-Nanoantennen helfen einzelne Proteine zu beobachten  
Posted: Feb 29th, 2012

Microscopy: Diamonds are a probe's best friend  
Posted: Feb 29th, 2012

A robust approach for preparing polymer-coated quantum dots  
Posted: Feb 29th, 2012

Georgia Research Alliance names First Eminent Scholar in Nanomedicine  
Posted: Feb 28th, 2012

New laser can point the way to new energy harvesting  
Posted: Feb 28th, 2012

EPSRC issues Graphene Engineering call  
Posted: Feb 28th, 2012

A surprising atomic-scale wiggle when photovoltaic cells are lit  
Posted: Feb 28th, 2012

New measuring techniques can improve efficiency, safety of nanoparticles  
Posted: Feb 28th, 2012

Researchers demonstrate the performance of a new nanoprinting technique  
Posted: Feb 28th, 2012

Gruenen erkundigen sich nach Umgang mit Ergebnissen der

NanoKommission  
Posted: Feb 28th, 2012

IBM Research gets close to implementation of a practical quantum computer (w/video)  
Posted: Feb 28th, 2012

Amazing nano rockets in five easy steps (w/video)  
Posted: Feb 28th, 2012

Solving a spintronic mystery  
Posted: Feb 27th, 2012

Two molecules communicate via single photons  
Posted: Feb 27th, 2012

"Squeezed" measurements demonstrated in Bose-Einstein condensate  
Posted: Feb 27th, 2012

Biology-oriented synthesis (BIOS) - cancer drugs based on natural models  
Posted: Feb 27th, 2012

Quantum microphone captures extremely weak sound  
Posted: Feb 27th, 2012

Transparent touch sensors using carbon nanotubes and ink solutions  
Posted: Feb 27th, 2012



For the first time, scientists image the charge distribution within a single molecule  
Posted: Feb 27th, 2012

Posted: Feb 24th, 2012

#### New study describes liquid water diffusion at molecular level

(Nanowerk News) Researchers at the universities of Granada and Barcelona have described for the first time the diffusion of liquid water through nanochannels in molecular terms; nanochannels are extremely tiny channels with a diameter of 1-100 nanometers that scientists use to study the behavior of molecules (nm, a unit of length in the metric system equal to one billionth of a meter that is used in the field of nanotechnology).

This study might have an important impact on water desalinization and filtration methods. Two articles published in *Science* state that the introduction of graphene membranes and carbon nanolayers will revolutionize water desalinization and filtration processes, as water diffuses rapidly through these materials when their pores are 1nm in diameter.



NT-MDT

AdChoices

#### Free chemical drawing

Marvin - advanced tool used by top labs and pharma

[ChemAxon.com/Marvin](http://ChemAxon.com/Marvin)

#### XRD Analysis Nanomaterial

Analyzing nanosized dimensions with XRD nanotechnology solutions  
[www.PANalytical.com](http://www.PANalytical.com)

#### Nomadic Raman Microscope

Multi-wavelength (532, 785, 1064nm) NIR Raman up to 1700nm  
[www.bayspec.com](http://www.bayspec.com)

#### SoftLayer® for Europe

Cloud. dedicated. &

Posted: Feb 27th, 2012

Delivering RNA with tiny sponge-like spheres

Posted: Feb 27th, 2012

Graphyne may be better than graphene

Posted: Feb 26th, 2012

State-of-the-art Nanobiotechnology Research Centre inaugurated at Deakin University

Posted: Feb 24th, 2012

Light-emitting nanocrystal diodes go ultraviolet

Posted: Feb 24th, 2012

New study describes liquid water diffusion at molecular level

Posted: Feb 24th, 2012

Novel method uses magnetic carbon nanoparticles to target and destroy cancer cells

Posted: Feb 24th, 2012

[...more nanotechnology research news](#)

### Potential arrangement of 12 water molecules and their HBs within the cooperative 1nm region.

Liquid water exhibits a range of unusual properties that other chemical compounds do not have: up to 65 abnormalities. Some of these abnormalities have been known for 300 years, as the fact that water expands below 4°C.

Many of the abnormalities found in water have a dynamic nature -e.g. water molecules move faster as density increases-, as a result of the properties of the hydrogen bond networks that form between water molecules; hydrogen bonds lead to the formation of tetrahedral structures wherein a central atom is located at the center with four molecules located at the corners. However, this geometrical structure changes with pressure and temperature and, until now, changes in the molecular structure and properties of liquid water had not been described.

#### A Mystery to Solve

Particularly confusing are the results on the diffusion of water confined between two hydrophobic plates. Neither experiments nor computer-based models have clarified whether confinement increases or reduces the mobility of water molecules. However, it seems that the mobility of water molecules relies on ducts having a diameter above or below 1nm.

In a study published in the prestigious journal *Physical Review* ("[Relations between the diffusion anomaly and cooperative rearranging regions in a hydrophobically nanoconfined water monolayer](#)"), professors Francisco de los Santos Fernández (University of Granada) and Giancarlo Franzese (University of Barcelona) described the behavior of water confined between two hydrophobic plates. In their study, Franzese and Fernandez used models to demonstrate that the diffusion of nanoconfined water is unusually fast, as a result of the competition between the formation and breaking of hydrogen bonds, and the free volume available for cooperative molecule rearrangement.

In nanochannels above 1 nm in diameter, macroscopic diffusion of water only occurs if there is a cooperative rearrangement of molecules, which leads to HB breaking within a cooperative region of 1nm in size. On the other hand, diffusion increases in nanochannels below 1 nm, as fewer HBs need to be broken. Thus, this study proves that the interplay between hydrogen bond breaking and cooperative rearranging within regions of 1-nm determine the macroscopic properties of water.

Source: *University of Granada*



Subscribe to a free copy of our daily  
**Nanowerk Nanotechnology News Email Digest**  
with a compilation of all of the day's news.

managed hosting  
Amsterdam Data Center  
now open  
[SoftLayer.com/Europe](http://SoftLayer.com/Europe)

**Nano-C, Inc.**  
Fullerenes, Carbon  
Nanotubes, PCBM and  
Other Derivatives  
[www.nano-c.com](http://www.nano-c.com)