



voluntary exercise and daily intake of melatonin, both of which are known for the effects they have in regulating circadian rhythm, show a synergistic effect against brain deterioration in the 3xTg-AD mouse, which has three mutations of Alzheimer's disease.

"For years we have known that the combination of different anti-aging therapies such as physical exercise, a Mediterranean diet, and not smoking adds years to one's life," Coral Sanfeliu, from the IIBB, told SINC.

"Now it seems that melatonin, the sleep hormone, also has important anti-aging effects," Sanfeliu said. For the study, the experts analysed the combined effect of sport and melatonin in 3xTg-AD mice which were experiencing an initial phase of Alzheimer's and presented learning difficulties and changes in behaviour such as anxiety and apathy.

The mice were divided into one control group and three other groups which would undergo different treatments: exercise -unrestricted use of a running wheel-, melatonin -a dose equivalent to 10 mg per kg of body weight-, and a combination of melatonin and voluntary physical exercise. In addition, a reference group of mice were included which presented no mutations of the disease.

"After six months, the state of the mice undergoing treatment was closer to that of the mice with no mutations than to their own initial pathological state. From this we can say that the disease has significantly regressed," Sanfeliu said.

The results show a general improvement in behaviour, learning, and memory with the three treatments. These procedures also protected the brain tissue from oxidative stress and provided good levels of protection from excesses of amyloid beta peptide and hyperphosphorylated TAU protein caused by the mutations. In the case of the mitochondria, the combined effect resulted in an increase in the analysed indicators of improved performance which were not observed

"Transferring treatments which are effective in animals to human patients is not always consistent, given that in humans the disease develops over several years, so that when memory loss begins to surface, the brain is already very deteriorated," Sanfeliu added. The study has been published in the journal Neurobiology of Aging.

(Agencies)

Latest News from Lifestyle News Desk

Tags: Alzheimer, Exercise benefits, Alzheimer's symptoms

Me gusta

Sé el primero de tus amigos al que le gusta esto.

Previous Article Hair-loss drug causes sexual side

Next Article Now, antibiotics to cure appendicitis

Top Pharma Recruitment

Pharma Recruitment. Access the Latest Jobs starting from €60K. Join now! AdChoices D



Related News

Most Commented Most Read Hashtag world tweets Hina Rabbani-Bilawal's.. Saudi Princess Bint Abdullah meets Speaker Famous love affairs of Politicians round the.. Railway Ministry orders probe into Bihar.. WB: Model-actor Aritri Bhattachary a molested..

Current Affairs: Jagran Josh

- SC: In case Safety measures are not...
- Sandeep Patil appointed as the Chie...
- US, India and Afghanistan hold its ...
- The earthquakes of Indian Ocean is ...
- Farmers moved to Supreme Court Chal...
- Radical Focus Later Camera will be ...
- Indian Sovereign Rating is Stable-M...
- India Malaysia to achieve a target ...